

# Google scholar

tuberculin antigen adjuvant acrylicate OR acrylic

[Advanced Scholar Search](#)[Scholar Preferences](#) Scholar Articles and patents anytime include citations[Create email alert](#)

Results 1 - 10 of about 505. (0.17 sec)

## An update on vaccine adjuvants in clinical trial

R EDELMAN - AIDS research and human retroviruses, 1992 - liebertonline.com

... about adjuvant safety has encouraged the development of unique synthetic antigen constructs

(Table ... basement membranes or neurolemma, causing glomerulonephritis or meningoencephalomyelitis • Sensitization to tuberculin or to ... UPDATE ON VACCINE ADJUVANT ...

[Cited by 26](#) - [Related articles](#) - [BL Direct](#) - [All 3 versions](#)

## Survey of human-use adjuvants

RT Kenney, R Edelman - Expert Rev Vaccines, 2003 - expert-reviews.com

... Acetylated polymannose (Acemannan), Sulfolipopolsaccharide Polymethyl methacrylate (PMMA), Acrylic acid-allyl ... neurolemma, causing glomerulonephritis or meningoencephalitis • Sensitization to tuberculin or to ... of the adjuvant alone and the antigen-adjuvant combination ...

[Cited by 44](#) - [Related articles](#) - [All 4 versions](#)

## Adjuvant-induced selective recruitment of specifically reactive lymphocytes: a probable mechanism of adjuvant action

EE Emeson - The Journal of Immunology, 1980 - Am Assoc Immunol

... All paw injections were given in 40 pl volumes with tuberculin syringes equipped with 27 ... of the tissues of a control group challenged with a third party indifferent antigen. ... RESULTS Experiment 1. Time relationship between the administration of adjuvant and semiallogeneic cells. ...

[Cited by 4](#) - [Related articles](#) - [All 2 versions](#)

## Adjuvants

R Edelman, CO Tacket - International reviews of immunology, 1990 - informaworld.com

... Sensitization to tuberculin or to other skin test antigens Carcinogenesis Pyrogenesis

Teratogenesis Abortogenesis ... vaccinated subject, and intrinsic characteristics of the antigen. ... The carrier/adjuvant/ antigen formulation should be hand-tailored and then standardized so that it ...

[Cited by 18](#) - [Related articles](#) - [All 4 versions](#)

## Delayed-type hypersensitivity after immunization with ultrasonicated Mycobacterium lepraeumurum in C3H and C57BL mice

M Løvik, OA Haugen, O Closs - Scandinavian journal of ..., 1984 - interscience.wiley.com

... Adjuvant effect of DTH to MLMSon-S on induction of DTH to an unrelated antigen DTH reactions

may exert an adjuvant effect on the development of DTH to an unrelated second antigen [5], and this has been reported to distinguish tuberculin-type DTH from Jones-Mote ...

[Cited by 4](#) - [Related articles](#) - [All 4 versions](#)

A Mr 95,000 polypeptide in Porphyridium cruentum phycobilisomes and thylakoids: Possible function in linkage of phycobilisomes to thylakoids and in energy transfer

[pnas.org \[PDF\]](#)

[Full View](#)

T Redlinger, E Gantt - ... of the National Academy of Sciences, 1982 - National Acad Sciences

... Booster shots (0.5 mg of antigen in Freund's adjuvant) were given after 3- and 6-week intervals. ...

Rabbit preimmune serum was negative when tested against the antigen. ... collected in the void

volume after passage through a Seph- adex G-50 column (in a 1 ml tuberculin syringe). ...

[Cited by 56](#) - [Related articles](#) - [All 6 versions](#)

Polymer-metallic complexes of mycobacterial protein antigen prevent dissemination of postvaccinal infection in T-deficiency states

AS Nonimov, MI Mustafaev, Y Romanova, TV ... - Bulletin of Experimental ..., 1991 - Springer

... these conditions immunization with TBP in aqueous emulsion mixture of Freund's adjuvants, both complete and incomplete, did not lead to the formation of a protective effect. Thus a triple immunogenic complex consisting of tuberculous protein antigen, CP of acrylic acid and ...

[Related articles](#) - [All 2 versions](#)

Iontophoretic device and method for administering immune response-enhancing agents and compositions

A Matsumura, SG Reed - US Patent App. 11/280,805, 2005 - Google Patents

... No. 5,980,898 describes a patch for passive transcutaneous immunization comprising an antigen, an adjuvant and a dressing. ... In particular, adjuvants are administered with vaccines or antigens to enhance the immune response to the vaccine or antigen. ...

[All 3 versions](#)

Listeria cell wall fraction. Characterization of in vitro adjuvant activity.

[nih.gov \[PDF\]](#)

C Schuffler, PA Campbell - Immunology, 1976 - ncbi.nlm.nih.gov

... Briefly, 25 ml of washed Degalon V26 polymethylmeta-acrylic beads (Degussa Wolf- gang Au, Germany) were ... of 3 days than at the end of 4 days and since significant adjuvant effects were ... set up as previously described, with or without 30 pg of LCWF and SRBC as antigen. ...

[Cited by 7](#) - [Related articles](#) - [All 3 versions](#)

Multiple Emulsions: Delivery System for Antigens

A BOZKIR, OM SAKA - Multiple emulsions: technology and ..., 2008 - books.google.com

... Accidental self-inoculation can result in tuberculin sensitization followed by chronic local inflammation ... adjuvant without the inclusion of muramyl dipeptide Unlike Freund's complete adjuvant (FCA), which ... to work with, SAF is fluid and is easily mixed with antigen solutions (Hjorth ...

[Related articles](#) - [All 2 versions](#)

[Create email alert](#)

tuberculin antigen adjuvant acrylate  Search

---

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2010 Google